

Guile-RSVG

version 2.18.0, updated 27 September 2007

Andy Wingo ([wingo at pobox.com](mailto:wingo@pobox.com))

This manual is for Guile-RSVG (version 2.18.0, updated 27 September 2007)

Copyright 2007 Andy Wingo

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU General Public License, Version 3 or any later version published by the Free Software Foundation.

Short Contents

1 (rsvg).....	1
Function Index.....	2

1 (rsvg)

1.1 Overview

This is the RSVG wrapper for Guile.

See the rsvg documentation for more details.

1.2 Usage

<code>rsvg-handle-close</code>	<i>handle</i>	[Primitive]
<code>rsvg-handle-get-base-uri</code>	<i>handle</i>	[Primitive]
<code>rsvg-handle-get-desc</code>	<i>handle</i>	[Primitive]
<code>rsvg-handle-get-dimensions</code>	<i>handle</i>	[Primitive]
<code>rsvg-handle-get-metadata</code>	<i>handle</i>	[Primitive]
<code>rsvg-handle-get-title</code>	<i>handle</i>	[Primitive]
<code>rsvg-handle-new</code>		[Primitive]
<code>rsvg-handle-new-from-data</code>	<i>str</i>	[Primitive]
<code>rsvg-handle-new-from-file</code>	<i>sfilename</i>	[Primitive]
<code>rsvg-handle-set-base-uri</code>	<i>handle suri</i>	[Primitive]
<code>rsvg-handle-set-dpi</code>	<i>handle dpi</i>	[Primitive]
<code>rsvg-handle-set-dpi-x-y</code>	<i>handle dpi_x dpi_y</i>	[Primitive]
<code>rsvg-handle-write</code>	<i>handle str</i>	[Primitive]
<code>rsvg-set-default-dpi-x-y</code>	<i>dpi_x dpi_y</i>	[Primitive]
<code>rsvg-version</code>		[Primitive]

Retrieves the version of the rsvg library.

Function Index

rsvg-handle-close.....	1	rsvg-handle-new-from-file	1
rsvg-handle-get-base-uri.....	1	rsvg-handle-set-base-uri.....	1
rsvg-handle-get-desc	1	rsvg-handle-set-dpi	1
rsvg-handle-get-dimensions	1	rsvg-handle-set-dpi-x-y.....	1
rsvg-handle-get-metadata.....	1	rsvg-handle-write.....	1
rsvg-handle-get-title	1	rsvg-set-default-dpi-x-y.....	1
rsvg-handle-new.....	1	rsvg-version	1
rsvg-handle-new-from-data	1		